



**TECHNICAL DATA**


- > Voltage: 230, 400 V
- > Output: 3000 – 6000 W
- > Max. element temp: 750 °C
- > Colour: Galvanized steel panel
- > Mounting height: 3 - 9 m
- > IP rating: IP 44
- > Permanent connection
- > Certification: CE compliant

**PRODUCT ADVANTAGES**

- + For rooms with large volume and high ceilings
- + Good heat distribution
- + Stainless steel casing
- + Strong design
- + Incline is adjustable
- + Also for outdoor use

# ETHERMA IH

Industrial quartz heater



The EIH infrared heater is suitable for full or additional heating of rooms with a large volume and high ceilings. These heaters can also be used outdoors, e.g. on sports grandstands or loading ramps to keep them dry and frost-free. Robust industrial design: reflector made of bright anodized aluminum ensures optimum heat distribution.

**Ceiling heater EIH, 230 V, IP 44**

LZ: ex stock

Type	Art. No.	Output (W)	Voltage (V)	Length (mm)	Width (mm)	Height (mm)	RG	Price €	
<b>EIH-3000</b>	38198	3000	230/400V	1030	300	80	R3	<b>563.60</b>	
<b>EIH-4500</b>	38199	4500	400V	1360	300	80	R3	<b>604.80</b>	
<b>EIH-6000</b>	38200	6000	400V	1680	300	80	R3	<b>651.70</b>	
<b>EIHG-3000</b>	38201	Protective grille for EIH-3000						R3	<b>132.30</b>
<b>EIHG-4500</b>	38202	Protective grille for EIH-4500						R3	<b>134.90</b>
<b>EIHG-6000</b>	38203	Protective grille for EIH-6000						R3	<b>136.30</b>
<b>ET-KRTV-19</b>	32890	Capillary tube thermostat for room heating, 0 - 40 °C, 230/400 V, 16/10 A, IP 44						E2	<b>162.40</b>
<b>ET-S123</b>	34976	3-group switch						E2	<b>106.20</b>

**TECHNICAL DATA**



- > Voltage: 230 V
- > Output: 1000 – 1500 W
- > Max. element temp: 700 °C
- > Colour: Aluminum polished
- > IP rating: IP 44
- > IEC protection class: I
- > Permanent connection
- > Certification: CE compliant

**PRODUCT ADVANTAGES**

- + For indoor use
- + Slim design
- + Simple installation
- + Wall and ceiling installation possible

# ETHERMA IR

Ceiling heater



EIR heaters can also be used in workshops and warehouses for the targeted heating of limited areas. The reflectors are made of highly polished aluminum with a maximum corrosion resistance. EIR has an adjustable mounting bracket for easy wall or ceiling installation.

**Ceiling heater EIR, 230 V, IP 44**

LZ: ex stock

Type	Art. No.	Output (W)	Voltage (V)	Length (mm)	Width (mm)	Height (mm)	RG	Price €	
<b>EIR-1000</b>	38196	1000	230	1170	75	94	R3	<b>176.70</b>	
<b>EIR-1500</b>	38197	1500	230	1680	75	94	R3	<b>218.20</b>	
<b>ET-KRTV-19</b>	32890	Capillary tube thermostat for room heating, 0 - 40 °C, 230/400 V, 16/10 A, IP 44						E2	<b>162.40</b>